



# INTERIOR COLLECTION


www.trimlite.com

### **OUR STORY**

For over 30 years, Trimlite has been committed to producing high quality interior and exterior door and glass products. Founded in Vancouver, British Columbia, we operate manufacturing facilities in four countries with distribution locations across North America. Managing the largest interior wood door manufacturing facility in Western Canada, our team creates beautiful doors to meet your specific requirements.

Our Interior Door Collection is focused on the simple premise of crafting doors for the design needs of our diverse customers. It has something for every architectural space and style.

At Trimlite, Handcrafted Construction meets Modern Design.



### TABLE OF CONTENTS

Interior Door Introduction and Design Ideas	4-9
Quick Ship Shaker Doors & Bi-Folds   Primed	10-11
Quick Ship Shaker Doors & Bi-Folds   Knotty Alder & Fir	12
Quick Ship Applied Bead Doors   Primed	13
Quick Ship Plantation Louver Doors & Bi-Folds   Primed	14
Quick Ship Rustic & Shaker Barn Doors & Hardware	15-17
Quick Ship French Doors	18-23
Quick Ship Retro French Doors	24-25
Custom Doors Introduction	26
Custom Shaker Doors & Bi-Folds   Primed	27
Custom Contemporary Doors w/Glass   Primed	28
Custom Contemporary Doors w/Panels   Primed	29
Custom Shaker Doors & Bi-Folds w/Glass   Primed	30
Custom Shaker Doors & Bi-Folds   Fir	31
Custom Contemporary Doors w/Panels   Fir	32
Custom Contemporary Doors w/Glass   Fir	33
Custom Shaker Doors & Bi-Folds   Knotty Alder	34
Custom Oversized Shaker Barn Doors	35
Custom Contemporary Barn Doors w/Glass	36
Custom Flat Panel Ovolo Bead Doors   Primed	37
Custom Raised Panel Doors   Primed	38
Custom High Definition Doors   Primed	39
Custom Woodbar French Doors   Primed	40-41
Interior Door Components	42
20-Minute Door Hanging Options	43
Quick Ship Stocking Sizes	44-45
Trimlite Warranty	46





### **PRIVACY GUIDE**

Trimlite offers an extensive line of glass options to choose from and the degree of opacity varies considerably. With each design, we have included a number which represents the "Privacy Level" for that product. Please refer to the guide below. Note: This guide is subjective. It should only be used when comparing Trimlite designs.

PRIVACY



### **Completely Clear**

Objects can be clearly seen through the glass from the opposite side.

### **Diffused/Distorted**

Objects are distorted, but can still be detected from the opposite side.

### **Completely Opaque**

Only light will travel through from the opposite side.

### INTERIOR DOOR INTRODUCTION

RIMLITE INTERIOR COLLECTION




# DESIGN IDEAS | Modern Farmhouse




A balanced blend of modern and rustic, the Modern Farmhouse style continues to be a rising trend. We paired some of our favorite doors and hinge options that intelligently mix modern and traditional.



# DESIGN IDEAS | Contemporary



Contemporary homes reflect the architecture and design of today. They represent smart design and curb appeal. We selected several doors that we believe represent the ethos of now and can be loved forever.



# DESIGN IDEAS | Craftsman



Craftsman homes emphasize hand-worked touches and beautiful detailing. Popularized at the turn of the 20th Century, it remains a popular design aesthetic. We have recommended several door and hardware options that give your doors the beautiful detailing a craftsman home requires.







# DESIGN IDEAS | Traditional



Traditional homes are comforting and classic. Their interiors are calm, orderly and predictable. Everything matches and is consistent. We suggest these doors for completing the look in a traditional home style and décor.







# QUICK SHIP INTRODUCTION




# QUICK SHIP SHAKER | Primed

### Shaker Panel Doors



# Shaker French Doors: Diffused White Laminate (DWL)







### Shaker Panel Doors

7/0 1-3/8" Quick Ship\* Sizes: 2/0, 2/2, 2/4, 2/6, 2/8, 2/10, & 3/0 8401







Available as 20-Minute Fire Door. Call for sizes and availability.

### Shaker Panel Doors

1-3/8" Quick Ship\* Sizes:

1/6, 2/0, 2/2, 2/4, 2/6, 2/8, 2/10, & 3/0













†: #8403 door in sizes 1/6 will have two panels.

# Woodbar French Doors

6/8 1-3/8"

Quick Ship\* Sizes: 2/0, 2/2, 2/4, 2/6, 2/8 & 3/0





\*1310 also available in 8/0. The 8/0 version will have12 lites.

# Flat Panel Ovolo Doors & Bifolds (includes track & hardware)

6/8 1-3/8"

Quick Ship\* Sizes: 1/6, 2/0, 2/2, 2/4, 2/6, 2/8, 2/10, & 3/0





8082



8020BF






# QUICK SHIP SHAKER | Knotty Alder & Fir

### **Knotty Alder Doors** 6/8 1-3/8" Quick Ship\* Sizes: 1/6, 2/0, 2/2, 2/4, 2/6, 2/8, 2/10, & 3/0 8401 8402 8403<sup>†</sup> Knotty Alder Bi-Folds (includes track & hardware) 1-3/8" Quick Ship\* Sizes: 2/0, 2/6, & 3/0 2'6" x 6'8" Fir 8405 8401BF 8402BF 8403BF Fir Doors 6/8 1-3/8" Quick Ship\* Sizes: 1/6, 2/0, 2/2, 2/4, 2/6, 2/8, 2/10, & 3/0 8401 8402 8403<sup>†</sup> 8433 8405 †: #8403 door in sizes 1/6 will have two panels. Fir Bi-Folds: (includes track & hardware) 1-3/8" Quick Ship\* Sizes: 2/0, 2/6, & 3/0 8401BF 8402BF 8403BF 8433BF 8405BF

†: #8403 door in sizes 1/6 will have two panels.

# QUICK SHIP APPLIED BEADS | Primed

Our beading options can give any shaker door a different appearance. Flexibility in architectural styles enables an appropriate match for any home. These beads work with any Quick Ship Primed Shaker door to offer a unique look.




# Beading & Shaker Configurations



†: Quirk can be reversed to be square step bead.

# QUICK SHIP PLANTATION LOUVER | Primed



The Primed Plantation Louver door is not your traditional louver door. Our oversized 3-1/4" louver slat increases ventilation and promotes airflow between rooms while providing the strength and stability of true stile and rail construction.

Our plantation louver door allows for increased privacy while maintaining all of the conventional benefits of a venting louver door.



Custom sizes also available. Contact your dealer for information.

### Louver Door

1-3/8"

Quick Ship\* Sizes: 1/6, 2/0, 2/2, 2/4, 2/6, 2/8, 2/10, 3/0 & 3/6

1-3/8"

Quick Ship\* Sizes:

\*7/0 door comes with 10" bottom rail.



### Louver Bi-Folds (includes track & hardware)

1-3/8"

Quick Ship\* Sizes: 2/0, 2/6, 3/0



8730BF

# QUICK SHIP RUSTIC AND SHAKER BARN DOORS



Trimlite™ offers a wide selection of Rustic and Shaker style barn doors in both standard and oversized doors. Our barn doors arrive with a routed groove to complement our barn door track. Select yours today.

	2'6" x 7'0"	2'8" x 7'0"	3'0" x 7'0"	2'6" x 8'0"	2'8" x 8'0"	3'0" x 8'0"
8401	-	-	-			
8402	•	•	-	•	•	
8433	•	•	-			
8405		•				

### Rustic Barn Doors







8401B Knotty Alder

8401BFWR Primed

8402BK Primed







8401BZ Primed

8401BZ Fir

8401BZ Knotty Alder

	3'0" x 7'0"	3'6" x 7'0"	4'0" x 7'0"	3'6" x 8'0"	4'0" x 8'0"
8401 BZ Fir	NA	-	-	-	-
8401 BZ Knotty Alder	NA		-	-	
8401 BZ Primed	•		-	-	
8401 B Knotty Alder	NA	-	-	NA	NA
8401 B Primed	NA		-	NA	NA
8401 BFWR Knotty Alder	NA		NA	NA	NA
8401 BFWR Primed	NA		NA	NA	NA
8402 BK Knotty Alder	NA		NA	NA	NA
8402 BK Primed	NA		NA	NA	NA

# Shaker Panel Doors Primed



### QUICK SHIP BARN DOOR HARDWARE

Trimlite™ offers several barn door and hardware options in matte black and brushed stainless steel. There are two styles of barn door track, rustic and contemporary. Our rustic track comes with a bent strap hanger. Trimlite™ also offers a contemporary track with a top mount roller. Our hardware is tested to handle doors up to 225 pounds and comes in two sizes, 84" and 96". Select your track and pair it with the perfect barn door handle and pull.

### Rustic Track + Hardware







Brushed Stainless Steel

# Contemporary Track + Hardware



Matte Black



**Brushed Stainless Steel** 



### QUICK SHIP BARN DOOR HARDWARE

### Contemporary Bar Pulls

# 8" 12" 16" 24" 24" 36" 60" 60"

Contemporary pull sizes 8", 12", 16", 24", 36", 60" in stainless steel.

Matte black available in 24" or 60" pull.

# Bypass Bracket



Matte Black



### Rectangular Flush Pulls



Matte Black 61/2"



**Brushed Stainless Steel** 61/2"

### Handles



Matte Black 61/2"



**Brushed Stainless Steel** 61/2"

### Soft Close Hardware



Matte Black




Matte Grey (Matches Stainless Steel Track)

### QUICK SHIP FRENCH DOORS




### French Doors


Trimlite™ offers a deep and versatile selection of French Door styles and glass designs to complement any architectural style. We offer three door species, Primed, Fir, and Knotty Alder, to match the other doors in your home. There are two French Door styles available—the 1501, which has the traditional ovolo French Door bead, or the 8601\*, which comes with a contemporary quirk bead. We offer a wide variety of decorative glass options, sure to complement any decor.



 $^{*}8601$  Available in Primed ONLY for Quick Ship. Knotty Alder and Fir available special order.


# QUICK SHIP DECORATIVE FRENCH DOORS | Adelaide









# QUICK SHIP DECORATIVE FRENCH DOORS | Artisan









# QUICK SHIP DECORATIVE FRENCH DOORS | Harlow








# QUICK SHIP DECORATIVE FRENCH DOORS | Lexington







# QUICK SHIP DECORATIVE FRENCH DOORS | Modena








# QUICK SHIP RETRO FRENCH DOORS



Clear †\* Option: Bevel PRIVACY 1



Diffused White Laminate T\* PRIVACY 10



Satin Etch †\* PRIVACY (9)



Mirror 2-sided\* Option: Mirror 1-side PRIVACY 10



Rain †\* PRIVACY (9)



Pantry †\* PRIVACY 8



Laundry † PRIVACY (8)



Narrow Reed †\* PRIVACY 8



P516 †\* PRIVACY (9)



Rooftop †\* PRIVACY 8

† Tempered Safety Glass **T Laminated Safety Glass**  Note: Also available in 7/0 & 8/0\* \*Available in full lite (no bottom panel)

# QUICK SHIP RETRO FRENCH DOORS







Screen Dot †\* PRIVACY 8



Sable †\* PRIVACY 9



Seedy Baroque †\* PRIVACY 3



Wheat † PRIVACY 7



Madison Castlite † PRIVACY 8



Delta Frost †\* PRIVACY (9)



Riverton Clear † PRIVACY 1



Riverton Obscure † PRIVACY 8



Kasumi/Travertine †\* PRIVACY 8

† Tempered Safety Glass

Note: Also available in 7/0 & 8/0\* \*Available in full lite (no bottom panel)

### CUSTOM DOORS INTRODUCTION



# CUSTOM SHAKER DOORS & BIFOLDS | Primed



Trimlite's made in Canada custom shaker doors are factory primed for your convenience.

With many different styles to choose from, our custom primed doors will be the right fit for any project.

Custom options include 1-3/8" and 1-3/4" thicknesses, up to 6'0" x 10'0" door sizes.

Available as 20-Minute Fire Door. Call for sizes and availability.

### Shaker Panel Doors



# Shaker Bi-Folds (includes track & hardware)



# CUSTOM SHAKER DOORS & BIFOLDS WITH GLASS | Primed



Trimlite's custom glass Shaker doors are perfect accents for any interior. These doors perfectly complement any shaker door.

Custom options include 1-3/8" and 1-3/4" thicknesses. custom heights, custom widths and custom glass.

# Glass Options\*



Clear PRIVACY 1



Seedy Baroque PRIVACY (3)



Sea Spray PRIVACY 6



Rain PRIVACY 9



Rooftop PRIVACY 8



Sable PRIVACY (9)



Screen Dot PRIVACY 9



Diffused White Laminate PRIVACY 10

### Shaker Doors with Glass



Shaker Bi-Folds with Glass (includes track & hardware)



# CUSTOM CONTEMPORARY DOORS WITH PANELS | Primed



Our contemporary collection offers ultra modern styling with sleek lines.

Available options include 1-3/8" and 1-3/4" door thicknesses, 6/8, 7/0, 7/6 and 8/0 heights in all standard widths, and bifolds.

Custom sizes also available. Contact your dealer for information.


### 8400 Shaker Series 6/8 1-3/8"



# 8900 Shaker Series 6/8 1-3/8"



# CUSTOM CONTEMPORARY DOORS WITH GLASS | Primed



# Glass Options\*



Clear PRIVACY 1



Seedy Baroque PRIVACY (3)



Sea Spray PRIVACY 6




Rain PRIVACY 9



Rooftop PRIVACY 8



Sable PRIVACY (9)




Screen Dot PRIVACY (9)



Diffused White Laminate PRIVACY 10

### 8400 Shaker Series 6/8 1-3/8"



Our contemporary collection offers ultra modern styling with sleek lines. Available with seven different glass options.

Available options include 1-3/8" and 1-3/4" door thicknesses, 6/8, 7/0, 7/6 and 8/0 heights in all standard widths, and bifolds. Custom sizes also available. Contact your dealer for information.

8900 Shaker Series 6/8 1-3/8"



\*Other glass options available. Contact your dealer for other designs.

# CUSTOM SHAKER DOORS & BIFOLDS | Fir



We use Vertical Grain Douglas Fir, the highest quality fir available. Douglas Fir is timeless, and is used in many architectural styles, from traditional to contemporary. Available options in 1-3/8" and 1-3/4" thicknesses, 6/8, 7/0, and 8/0 heights.

Available as 20-Minute Fire Door. Call for sizes and availability.

### Shaker Panel Doors













# Shaker Bi-Folds (includes track & hardware)














The materials contained in this page are for presentation purpose; actual unfinished door color may vary.

# CUSTOM CONTEMPORARY DOORS WITH PANELS | Fir



### 8400 Shaker Series 6/8 1-3/8"



Our contemporary collection offers ultra modern styling with sleek lines.

Available options include 1-3/8" and 1-3/4" door thicknesses, 6/8, 7/0, 7/6 and 8/0 heights in all standard widths, and bifolds. Custom sizes also available. Contact your dealer for information.

8900 Shaker Series 6/8 1-3/8"



# CUSTOM CONTEMPORARY DOORS WITH PANELS | Fir



2'6" x 6'8" Fir 8955 Contemporary Door with Clear Glass

Glass Options\*



Clear PRIVACY 1



Seedy Baroque PRIVACY (3)



Sea Spray PRIVACY 6



Rain PRIVACY (9)




Rooftop PRIVACY 8



Sable PRIVACY 9



Screen Dot PRIVACY (9)



Diffused White Laminate PRIVACY 10

Our contemporary collection offers ultra modern styling with sleek lines. Available with seven different glass options.

8499

8410

Available options include 1-3/8" and 1-3/4" door thicknesses, 6/8, 7/0, 7/6 and 8/0 heights in all standard widths, and bifolds. Custom sizes also available. Contact your dealer for information.


# 8900 Shaker Series

8411



\*Other glass options available. Contact your dealer for other designs.

# CUSTOM SHAKER DOORS & BIFOLDS | Knotty Alder



Our Knotty Alder doors provide a rustic look for homeowners and are popular in a variety of modern and traditional homes.

Available options include 1-3/8" and 1-3/4" door thicknesses, 6/8, 7/0, 7/6 and 8/0 heights in all standard widths, and bifolds.

Available as 20-Minute Fire Door. Call for sizes and availability.

Shaker Panel Doors 6/8 1-3/8"













Shaker Bi-Folds 6/8 1-3/8" (includes track & hardware)













# CUSTOM OVERSIZED SHAKER BARN DOORS

# Shaker Panel Doors Primed Fir **Knotty Alder** 8401 8402 8403 8433 8405


8444



### Shaker French Doors **Primed Diffused White Laminate (DWL)**

	Primed	Fir	Knotty Alder	Primed DWL	
3'0" x 7'0"	•	•	•	•	
3'6" x 7'0"	•	•	•	•	
4'0" x 7'0"	•	•	•	•	
5'0" x 7'0"	-	-	NA	-	
3'0" x 8'0"	•	•	•	•	
3'6" x 8'0"	-	-	-	-	
4'0" x 8'0"	•	•	•	•	
5'0" x 8'0"	-	NA	NA	-	






# CUSTOM CONTEMPORARY BARN DOORS WITH GLASS



Any DWL Barn Doors over 3'0" in width will use tempered DWL glass.


# CUSTOM FLAT PANEL OVOLO BEAD DOORS | Primed



## Flat Panel Ovolo Bead Doors



## Specifications



We added a decorative Ovolo Bead to our Flat Panel Doors to create our 1400 Series. This bead is manufactured with precision, no nail holes, and consistent reveals at every edge.

Available in a variety of panel layouts and wood species.

Available in 1-3/8" and 1-3/4" door thicknesses and 6/8, 7/0, 7/6 and 8/0 heights in all standard widths, and bifolds. Custom sizes also available.


# CUSTOM RAISED PANEL DOORS | Primed



Our Raised Panel doors are a timeless look. We offer three different panel layouts (Double Hip, Single Hip, and Scoop) for any traditional style.

Available options include 1-3/8" and 1-3/4" door thicknesses, 6/8, 7/0, 7/6 and 8/0 heights in all standard widths, and bifolds. Custom sizes also available.

# Specifications



## Raised Panel Doors




# CUSTOM HIGH DEFINITION DOORS | Primed



The High Definition Shaker Door combines the sharp edges and clean lines of traditional shaker doors with a contemporary twist. True 90-degree angles where the panel meets the solid wood stiles and rails give this door a clean look. 20-Minute Fire Rated doors now available.

# Specifications




Available as 20-Minute Fire Door. Call for sizes and availability.

# High Definition Doors





# CUSTOM WOODBAR FRENCH DOORS | Primed




Our Woodbar Doors provide a unique look for your home – a door with true divided lites. This gives a distinct aesthetic and will stand out in any setting.


# Lite Options



# Mullion Configurations




# CUSTOM WOODBAR FRENCH DOORS | Primed



Available in 1-3/8" and 1-3/4" thicknesses, and 6/8, 7/0, or 8/0 heights.

# Glass Options



### INTERIOR DOOR COMPONENTS

## 3-1/2", 1/4" Radius Hinge Colors



**Brass** US3



Oil Rubbed Bronze US10B



Satin Nickel **US15** 



Black US1D



**Brushed Chrome** US26D

### Flush Bolts

6" Flush Bolts (Standard on 6-8 & 7-0 Doors)



Satin Nickel US15 (Also Available in Brass US3 & Oil Rubbed Bronze US10B)

12" Flush Bolts (Standard on 8-0 Doors)



### Bypass Rollers & Track



and three-wheeled ball bearing rollers hold doors weighing up to 150 lbs. each.

#### Roller Catch & Strike



Oil Rubbed Bronze US10B (Also Available in Satin Nickel US15)

Ball Catch & Strike



Jambs & Astragals



Primed Finger-Joint Double Rabbet Jamb (4-9/16")



Primed Finger-Joint Combo Jamb (4-9/16")



Primed Finger-Joint Astragal



Hemlock Double Rabbet Jamb (4-9/16")



Hemlock Combo Jamb (4-9/16" - 7-1/4")



Hemlock Astragal

(VG Fir and Knotty Alder jambs are special order and available with extended leadtime.)

### 20-MINUTE DOOR HANGING OPTIONS

# 4", 1/4" Radius Hinge Colors



**Brass** US3



Oil Rubbed Bronze US10B



Satin Nickel **US15** 



Black US1D



**Brushed Chrome** US26D

All 20-Minute doors come with 2-spring hinges (not shown)

### Sill Options

#### Inswing Fixed Sill

- Thermal Efficient Composite Cap
- Durable Economic Design
- Water-Tight Butyl End Seal Gasket



### Inswing Adjustable Sill

- High Performance Seal Technology
- All Composite for Durability
- Adjustable Rail Ensuring a Tight Fit
- Water-Tight Butyl End Seal Gasket



### **Outswing Bumper Sill**

- All-Aluminum Durability
- High Performance Outswing Design
- Water-Tight Butyl End Seal Gasket



## Outswing Oak Bumper Sill

- Stain Grade Hardwood Interior
- High Performance Outswing Design
- Water-Tight Butyl End Seal Gasket



#### LowPro Sill (Inswing or Outswing)

- ADA Compliant
- Durable All-Aluminum Design
- Not Recommended for High Water Exposure





Mill Finish



Bronze Finish

Jamb



Primed Single Rabbet Jamb (4-9/16", 6-9/16", 7-1/4")

# QUICK SHIP STOCKING SIZES

Due to ongoing product development we reserve the right to make changes in design, materials and specifications without notice.

N/A = NOT AVAILABLE + = SPECIAL ORDER ■ = IN STOCK E = EXTENDED LEADTIME

Thanges in design, materials and	DOOR WIDTHS									I	C - EXI						
DESCRIPTIONS	DOOR WIDTHS			S					H			GHTS	,	Bi-Fold		20 MIN.	Door Thickness
Pages 10-11 Primed Shaker Doors & Bi-Folds	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	6/8	7/0	8/0	Bi- Fold	DWL	20 MIN.	1-3/4"
8401 1-3/8"	-	•	•	-		-	-	•	-			•		•	•	•	+
8402 1-3/8"	-	•	•	-	-	-	•		•			•			+	•	+
8403 1-3/8"	-	•	•	-	-	-	•		•			+			+	•	+
8433 1-3/8"	-	•	•	-	•	•	•		•			•			•	•	+
8444 1-3/8"	-	•	•	-	-	-	•		-	-	-	+	+	+	+	-	+
8405 1-3/8"	-	•	•	-	-	-	-		-	-		-	-	-	•	-	+
8491 1-3/8"	-	N/A	N/A	•		•	•	•	•		•	+		-	N/A	•	+
Page 11 Flat Panel Ovolo Doors & Bi-Folds	1/6	2	/O :	2/2	2/4	2/6	2/8	3 :	2/10	3/0	6/8	7/0	8/0	Bi-l	Fold	20 MIN.	1-3/4"
8020 1-3/8"	•		-	•	•	•	•		•	•		+	+		•	•	+
8082 1-3/8"			•	•	•	•			•	•		+	+		•	•	+
Page 11 Woodbar Doors	1/6	2	/O :	2/2	2/4	2/6	2/8	3 :	2/10	3/0	6/8	7/0	8/0	Bi-	Fold	20 MIN.	1-3/4"
1309 1-3/8"	+		+	+					N/A			+	+	N	/A	N/A	+
1310 1-3/8"	+		-	•	•	•			N/A	•		+	+	N	/Δ	N/A	+
Page 12 Knotty Alder Shaker Doors & Bi-Folds	1/6	2	/O :	2/2	2/4	2/6	2/8	3 :	2/10	3/0	6/8	7/0	8/0	Bi-l	Fold	20 MIN.	1-3/4"
Knotty Alder 8401 1-3/8"							•		•			+	+			+	+
Knotty Alder 8402 1-3/8"					•	•			•	•		+	+		•	+	+
Knotty Alder 8403 1-3/8"	•			•	•	-			•	•		+	+		•	+	+
Page 12 Fir Shaker Doors & Bi-Folds	1/6	2	/O :	2/2	2/4	2/6	2/8	3	2/10	3/0	6/8	7/0	8/0	Bi-	Fold	20 MIN.	1-3/4"
Fir 8401 1-3/8"	-		-	-	-	-	-		•	•		+	+		•	+	+
Fir 8402 1-3/8"	-		•	•	•	•	•		•	•	•	+	+		•	+	+
Fir 8403 1-3/8"	-		•	+	•	•	•		•	•	•	+	+		•	+	+
Fir 8433 1-3/8"	-		•	+	•	•	•		•	•	•	+	+		•	+	+
Fir 8405 1-3/8"	•		-	+	•	•	•		•	•	•	+	+		•	+	+
Page 14 Primed Plantation Louver	1/6	2	/O :	2/2	2/4	2/6	2/8	3 :	2/10	3/0	6/8	7/0	8/0	Bi-l	Fold	20 MIN.	1-3/4"
Primed Plantation Louver Door 1-3/8"	•		•	•	•	•	•		•	•	•	•	N/A		•	N/A	N/A
DESCRIPTIONS	DO	DOOR WIDTHS & HEIGHTS															
Page 15 Rustic and Shaker Barn Doors	3'0" x 7'0"				3'6" x 7'0"				4'0" x 7'0"			3'6" x 8'0"			4'0" x 8'0"		
8401B Primed 1-3/8"	N/A				-					N/A		N/A					
8401B Knotty Alder 1-3/8"	N/A				•				•			N/A			N/A		
8401BFWR Primed	N/A				•				N/A			N/A			N/A		
8401BFWR Knotty Alder	N/A				-				N/A			N/A				N/A	
8401BZ Primed	•			-				•			•			•			
8401BZ Knotty Alder	N/A			•				•			•				•		
8401BZ Fir	N/A			•				•			•				•		
84O2BK Primed	N/A			•				N/A			N/A			N/A			
84O2BK Knotty Alder	N/A				•				N/A			N/A				N/A	

# QUICK SHIP STOCKING SIZES

DESCRIPTIONS					DOOR WIDTHS & HEIGHTS											
Page 15 Shaker Panel Barn Doors					7'0"	2'8" x 7'0"	3'0" x 7	"O" 2	!'6" x 8'O"	2'8" x 8	O" 3	3'0" x 8'0"				
8401 Primed Shaker Panel										•		•				
84O2 Primed Shaker Panel						•			•	•						
8433 Primed Shaker Panel						•	•		•	•		•				
8405 Primed Shal			•	•					•							
DESCRIPTIONS	DOOR	WIDTHS							DOOR HEIGHTS							
French Door	1/6	2/0	2/2	2/4	2/6	2/8	2/10	3/0	6/8	7/0	8/0	8/O Paneled				
Adelaide (P)*	N/A	•	-	-			-	•			N/A					
Harlow (P)*	N/A	•	•	•		-	•	•	-		N/A	-				
Artisan (P)*	N/A	•	•	•		-	•	•	-	•	N/A	-				
Modena (P,Z)*	N/A	•	•	•	•	-	•	•	-	•	N/A	•				
Riverton Clear	N/A	•	•	•		-	•	•	-		N/A	•				
Seedy Baroque	E	E	E	E	Е	E	E	Е	E	E	Е	E				
Wheat	N/A	•	•	•		•	•	•	•		N/A	•				
Quattro	E	E	E	E	Е	E	E	E	E	E	Е	E				
Rooftop	E	E	E	E	Е	E	E	E	E	E	E	E				
Kasumi/Travertine	E	E	E	E	E	E	E	Е	E	E	Е	E				
Sable	E	E	E	E	E	E	E	E	E	E	E	E				
Screen Dot	E	E	E	E	Е	E	E	Е	E	E	Е	E				
P516	E	E	E	E	E	E	E	E	E	E	E	E				
Delta Frost	E	E	E	E	Е	E	E	Е	E	E	Е	E				
Lexington (P)*	N/A	•	-	-		-	-	•	-		N/A	-				
Rain	•	•	•	•	•	•	•	•	•	•	•	•				
Madison	N/A		-	-		-	-	•	-		N/A	-				
Glue Chip (P,Z)*	E	E	E	E	E	E	E	E	E	E	N/A	E				
Narrow Reed	-	-	-	-		-	-	•	-	-	•	-				
Clear	-	-	-	-	•	-	-	•	-	-	•	-				
Satin Etch	-	•	•	•	•	-	•	•	-		•	•				
Riverton Obscure	N/A	•	•	•	•	-	•	•	-	-	N/A	•				
Pantry	N/A	•	•	•	•	-		•	-	•	•	•				
Laundry	N/A	N/A	N/A	N/A	•	-	•	•	-		N/A	•				
Diffused White Laminate	•		•	•	•	•	•	•	•		•	•				
Mirror	•	•	•	•		•	•	•	•	•	•	•				

Note: French Door sizes for primed only. Contact your sales rep. for custom sizes.

## WARRANTY | TRIMLITE



Trimlite warrants, that each door bearing the Trimlite brand and identification mark, is of good material and workmanship and free from defects which renders them unserviceable or unfit for ordinary, recommended use. Trimlite warranty is for a period of ONE YEAR from date of shipment from Trimlite, provided the following conditions are met:

- 1. Manufacturing defects must be reported promptly before fitting, finishing, or hanging. Failure to do so will result in forfeiture of any warranty.
- 2. Provided that doors are operative, action on any claims after installation may be deferred at the option of Trimlite for a period not exceeding twelve months from date of complaint. During this time period, doors must remain hung in the original installation to permit conditioning to local humidity and temperature conditions.
- 3. Trimlite agrees, at our option, to either (1)repair without charge or (2)replace without charge or (3)refund original purchase price, any door that is defective within the meaning of this guarantee. Trimlite is not responsible for any costs associated with installation or finishing of replacement door or door components as well as any incidental or consequential damages, all of which will remain the sole responsibility of person making the warranty claim.
- 4. In the case of exterior applications, doors must be hung in a location protected from exposure to direct sun or rain under normal conditions. Refer to Care and Finishing Procedure for Wood Doors: Section: Figure 2 Overhang Guide
- 5. The entire door, including edges, top, bottom, and sides must receive at least two coats of an oil base paint, varnish, or sealer at the time of installation. Refer to Care and Finishing Section. (Failure to follow Trimlite finishing instructions will void any warranty.)
- 6. Trimlite warranty extends only to the first purchaser or retailer of said door(s) and is not transferable.

#### **Allowable Tolerances**

- 1. Thickness, width, and height tolerances from nominal sizes shall not exceed 1/16" plus or minus.
- 2. A squareness tolerance of not more than 1/8" between two diagonal measurements taken across the face of the door shall be allowed.
- 3. For doors 3' x 7' or smaller, deformation (bow, cup, twist, warp) shall not be considered a defect unless it exceeds 1/4" in the plane of the door itself. Warranty can apply for 1-3/4"doors up to 42"x 96" if properly installed with a three-point locking mechanism.
- 4. Trimlite will not warranty against warp on any doors exceeding 42" in width or 96" in height.

#### **Exclusions**

The following are not defects in workmanship or material and are not covered by this written warranty:

- 1. Damage caused by attempts other than Trimlite's to repair the door and/or unit.
- 2. Failure to properly seal the door. All edges must be sealed within 72 hours after fitting and hanging with the integrity of the finish
- 3. Defects caused by improper installation such that the door does not swing freely.
- 4. Damage cause by improper handling or on-site storage
- 5. Due to uncontrolled site conditions the appearance of field finished doors is not guaranteed by Trimlite.
- 6. Natural variations in the color or texture of the wood are not to be considered as defects.
- 7. Panel shrinkage is not considered a defect and would not be covered by this warranty.
- 8. Failure to provide normal homeowner maintenance on the door finish.
- 9. Doors or door components that are not finished and hung in accordance with the Care and Finishing instructions; and doors/ components that are exposed to direct sun or rain under normal conditions.

#### **Door Policy**

- 1. RECEIVING: Upon receiving, order must be checked for accuracy or damage. If damage is apparent, it must be noted on the delivery receipt. Claims for shipping damage or loss must be filed with the carrier by the customer. While we do our best to protect product for shipping, wood doors are rather fragile and can be easily marked so a thorough inspection by your receiving dept. is necessary. Any damage or shortages must be reported to Trimlite Customer Service within 24 hours of receipt.
- 2. SPECIAL ORDERS: Care must be taken to insure order accuracy. Order sheets with swing diagrams are available. Special order cancellation will not be accepted once work has begun on the unit.
- 3. RETURN GOODS AUTHORIZATIONS (RGA) Contact your Trimlite representative to request inspection and return authorization. All doors approved for return must be shipped back to Trimlite in the same condition in which it was shipped. Your Trimlite account manager will specify the method of return. No credit will be given for doors returned in non-saleable condition. Trimlite will refuse any product returned which does not have an RGA number.

#### Claim Policy

- 1. A representative of your firm must inspect the unit.
- 2. Provide purchase order number, invoice number, and original ship date.
- 3. Identify product and problem.
- 4. Provide contact names and phone numbers.
- 5. With the above information, Trimlite will make arrangements to go to the job site with a representative of your firm.
- 6. Upon establishing there is a valid warranty situation, Trimlite will repair, replace or refund the original purchase price as per the guarantee.



# Canada

#### WEST SURREY, BC

**T** 604.533.4111 **TF** 877.533.4111 **F** 604.533.2026

# **EAST**BURLINGTON, ON

T 905.335.1559 TF 888.335.1559 F 905.335.6464

### www.trimlite.com

info@trimlite.com

# **USA**

#### WEST RENTON, WA

T 425.251.8685 TF 800.929.3371 F 425.251.8999

#### EAST ASHTABULA, OH TF 800.929.3371

